

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claims 1 – 25. (cancelled)

Claim 26. (currently amended) A freeze control system for a spa, wherein the spa is surrounded by ambient air ~~having an~~ defining ambient air temperature, said freeze control system comprising:

- A. a spa tub containing tub water having a tub water temperature,
- B. spa piping for circulating water to and from said spa tub,
- C. a heating element for producing heated water,
- D. at least one water pump for pumping the heated water,
- E. a first sensor for detecting said tub water temperature,
- F. a second sensor for detecting said ambient air temperature, and
- G. a computer programmed to process signals generated by said first sensor and said second sensor, ~~wherein said computer automatically and selectively activates and deactivates~~ activate and deactivate said at least one water pump based upon inputs from said second sensor so that the temperature of the water inside said spa tub and said spa piping is maintained above the freezing level.

Claim 27. (currently amended) A freeze control system as in Claim 26, wherein said computer comprises computer components, ~~wherein~~ and said second sensor is mounted so as to be relatively unaffected by heat generated by said computer components.

Claim 28. (currently amended) A freeze control system as in Claim 26, wherein said computer comprises computer components, ~~wherein~~ and said second sensor is mounted so as to be affected by heat generated by said computer components.

Claim 29. (previously presented) A freeze control system as in Claim 28, wherein said computer programming comprises a correction factor to account for the heat generated by said computer components.

Claim 30. (previously presented) A freeze control system as in Claim 26, wherein said computer is programmed to start and run said at least one water pump for a predetermined period of time at intervals based on said ambient air temperature reported by said second sensor.

Claim 31. (previously presented) A freeze control system as in Claim 30, wherein said predetermined period of time is one minute.

Claim 32. (currently amended) A freeze control system for a spa, wherein the spa is surrounded by ambient air ~~having an~~ defining ambient air temperature, said freeze control system comprising:

- A. a spa tub containing tub water having a tub water temperature,
- B. spa piping for circulating water to and from said spa tub,
- C. a heating element for producing heated water,
- D. at least one air blower for blowing air into said spa tub,
- E. at least one water pump for pumping the heated water,
- F. a first sensor for detecting said tub water temperature,
- G. a second sensor for detecting said ambient air temperature, and
- H. a computer programmed to process signals generated by said first sensor and said second sensor, wherein said computer ~~automatically~~ selectively activates and deactivates said at least one air blower and said at least one water pump ~~based upon inputs from said second sensor~~ so that the temperature of the water inside said spa tub and said spa piping is maintained above the freezing level.

Claim 33. (currently amended) A freeze control system as in Claim 32, wherein said computer comprises computer components, ~~wherein~~ and said second sensor is

mounted so as to be relatively unaffected by heat generated by said computer components.

Claim 34. (currently amended) A freeze control system as in Claim 32, wherein said computer comprises computer components, ~~wherein~~ and said second sensor is mounted so as to be affected by heat generated by said computer components.

Claim 35. (previously presented) A freeze control system as in Claim 34, wherein said computer programming comprises a correction factor to account for the heat generated by said computer components.

Claim 36. (previously presented) A freeze control system as in Claim 32, wherein said computer is programmed to start and run said at least one water pump and said at least one blower for a predetermined period of time at intervals based on said ambient air temperature reported by said second sensor.

Claim 37. (previously presented) A freeze control system as in Claim 36, wherein said predetermined period of time is approximately one minute.

Claim 38. (currently amended) A freeze control system for a spa, wherein the spa is surrounded by ambient air having an ambient air temperature, said freeze control system comprising:

- A. a spa tub means for containing tub water having a tub water temperature,
- B. spa piping means for circulating water to and from said spa tub,
- C. a heating element means for producing heated water,
- D. at least one air blower means for blowing air into said spa tub,
- E. at least one water pump means for pumping the heated water,
- F. a first sensor means for detecting said tub water temperature,
- G. a second sensor means for detecting said ambient air temperature, and
- H. a computer means programmed to process signals generated by said first sensor means and said second sensor means, wherein said computer means

~~automatically~~ selectively activates and deactivates said at least one air blower means and said at least one water pump means ~~based upon inputs from said second sensor means~~ so that the temperature of the water inside said spa tub means and said spa piping means is maintained above the freezing level.